










ANAB

INTERNATIONAL

Produktnamn	Artikelnummer	Bild	Pris ex/ink moms	Beskrivning	HID färg temp.
Xenon kit	H1, H3, H4, H7, H8, H11, 9005 (HB3), 9006 (HB4). 35W 12V		ex: 400:- ink: 500:-	Xenon kit: 2st lampor 2st balast kablage.	4300K, 6000K, 8000K
Xenon kit	H1, H3, H4, H7, H8, H11, 9005 (HB3), 9006 (HB4). 50W 12V		ex: 480:- ink: 600:-	Xenon kit: 2st lampor 2st balast kablage.	4300K, 6000K, 8000K
Xenon kit	H4 Hel och Halvljus (H/L) 35W 12V		ex: 640:- ink: 800:-	Xenon kit: 2st lampor 2st balast kablage.	4300K, 6000K, 8000K
Xenon kit	H4 Hel och Halvljus (H/L) 50W 12V		ex: 800:- ink: 1000:-	Xenon kit: 2st lampor 2st balast kablage.	4300K, 6000K, 8000K
Xenon kit Digital	H1, H3, H4, H7, H8, H11, 9005(HB3), 9006(HB4) 35W 12V (Digital för bilar med cambus system)		ex: 1000:- ink: 1250:-	Xenon kit: 2st lampor 2st balast kablage.	4300K, 6000K, 8000K
Xenon kit Digital	H1, H3, H4, H7, H8, H11, 9005(HB3), 9006(HB4) 50W 12V (Digital för bilar med cambus system)		ex: 1200:- ink: 1500:-	Xenon kit: 2st lampor 2st balast kablage.	4300K, 6000K, 8000K

LED	LED 908		<p>ex: 240:-/st ink: 300:-/st</p>	<p>Feature: 1: waterproof. Dust-proof. Rust-proof 2: low-power ,low- calorie, long life ,high brightness. High-efficiency Application: Vehicle light work ,mainly at the time of vechile operation of outdoor lighting ,such as lorries , container trucks , forklifts, dump truck Technical parameters: • voltage: 12/24v • power: 6w • light source: high power 1w • LED luminous efficiency: > 90lm/w • Working time: above 20,000hours • Working temperature: below 60°C • The material: aluminum alloy shell black matt, transparent plastic mask, stainless steel bracket .</p>	-
HID Flodljus (arbetslampa)	LS-2008 Long Light		<p>ex: 630:-/st ink: 800:-/st</p>	<p>.Power: HID xenon 35W ballast Built in .Voltage: 9-32V Size: 150*145*120mm Housing: nylon front and rear housing .Working temperature: -45~105°C .Lens: toughened glass .Application: Available in the heavy duty equipment, fire engine, mobile machinery shop</p>	4300K, 6000K, 8000K
HID Dimljus (arbetslampa)	LS-2008 Short Light		<p>ex: 630:-/st ink: 800:-/st</p>	<p>.Power: HID xenon 35W ballast Built in .Voltage: 9-32V Size: 150*145*120mm Housing: nylon front and rear housing .Working temperature: -45~105°C .Lens: toughened glass .Application: Available in the heavy duty equipment, fire engine, mobile machinery shop</p>	4300K, 6000K, 8000K
6" HID Bilijus	LS-3308		<p>ex: 530:-/st ink: 660:-/st</p>	<p>.Power: HID xenon 35W ballast Built in .Voltage: 6V, 12V OR 24V DC Size: 160mm*140mm Housing: stainless steel .Working temperature: -45~120°C .Lens: toughened glass .Application: Available in the auxiliary lamp for SUV's bumper, fire engine, ambulance and car, beach-buggy</p>	4300K, 6000K, 8000K
Xenon Lampa (parvis)	H1, H3, H4, H7, H8, H11, 9005 (HB3), 9006 (HB4), 35W		<p>ex: 280:-/par ink: 350:-/par</p>	Lampa 35W	4300K, 6000K, 8000K
Xenon Lampa (parvis)	H1, H3, H4, H7, H8, H11, 9005 (HB3), 9006 (HB4), 50W		<p>ex: 320:-/par ink: 400:-/par</p>	Lampa 50W	4300K, 6000K, 8000K

Xenon Lampa (parvis)	H4 Hel och Halvlyjus (H/L) 35W 9007(HB5)		ex: 400:-/par ink: 500:-/par	Lampa 35W	4300K, 6000K, 8000K
Xenon Lampa (parvis)	H4 Hel och Halvlyjus (H/L) 50W		ex: 480:-/par ink: 600:-/par	Lampa 50W	4300K, 6000K, 8000K
D1 Lampa (parvis)	D1 35W		ex: 560:-/par ink: 700:-/par	Lampa 35W	4300K, 6000K, 8000K
D2 Lampa (parvis)	D2 35W - 55W		ex: 320:-/par ink: 400:-/par	Lampa 35W-55W	4300K, 6000K, 8000K
Balast	Normal balast 35W 12V		ex: 160:-/st ink: 200:-/st	Standard	
Balast	Normal balast 50W/55W 12V		ex: 200:-/st ink: 250:-/st	Standard	
Balast Digital	Digital balast 35W 9-32V		ex: 240:-/st ink: 300:-/st	Digital för Cambus	
Balast Digital	Digital balast 50W/55W 12V		ex: 240:-/st ink: 300:-/st	Digital för Cambus	

Balast Mini	Minibalast 35W 12V		ex: 160:-/st ink: 200:-/st	Slim balast
Reläsats	Relay Harness		ex: 80:-/sats ink: 100:-/sats	Kablage: Relästats
Reläsats med resistor	Relay Harness with Resistor		ex: 120:-/sats ink: 150:-/sats	Kablage: Reläsats med resistor
Xenon Varningslampsläckare	Varningslampsläckare		ex: 40:-/st ink: 50:-/st	Varningslampsläckare
Kabel	Kabel till D2 lampor		ex: 80:-/st ink: 100:-/st	Kablage: D2
Kabel	Förlängningskabel		ex: 40:-/st ink: 50:-/st	Kablage: Förlängningskabel

ANAB AB
c/o Anders Gustafsson
Västanby Rosenlund 2
716 93 FJUGESTA

Styrelsens säte: Örebro län Lekebergs kommun
Orgnr: 556738-7971 Innehar F-Skattebevis
Bankgiro 203-1599

070-6580824 Anders
anders.gustafsson@anabint.se
anders.vastanby@telia.com

072-7260303 Per
per.gustafsson@anabint.se

www.anabint.com